## **Biodiversity Conservation and Management**

(ID 097)

A Preliminary Study on Sri Lankan Impatiens: Phylogenetics and Morphological Evidences

Piumal, R.J.<sup>1</sup>, Ruwanmalie, W.A.P.U.<sup>1</sup>, Viduranga, W.A.A.D.M.<sup>2</sup>, Kathriarachchi, H.S.<sup>1</sup>\*

<sup>1</sup> Department of Plant Sciences, University of Colombo, Colombo 03, Sri Lanka <sup>2</sup> Department of Ecology and Conservation Biology, Texas A and M University, USA \*hashi@pts.cmb.ac.lk

## **Abstract**

Genus Impatians (Family Balsaminaceae) having 23 native species in Sri Lanka, displays a high endemicity of nearly 70%. The objectives of the present study were to assess the phylogenetic placement of Sri Lankan *Impatiens* and to elucidate the morphological characters supporting their relationships. Based on the sequence availability, Internal Transcribed Spacer (ITS) region was used for a total of 57 species, including seven Sri Lankan Impatiens species. Maximum likelihood and neighbour joining analysis were performed to produce the phylogenetic trees using Hydrocera triflora as the outgroup. Selected morphological characters were obtained using published literature and herbarium records with special emphasis on floral characteristics to produce the cladogram. Analysis was conducted using R 4.2.2 version. Likelihood and neighbour joining analysis produced congruent phylogenetic trees. Results revealed that, Sri Lankan Impatiens taxa forms a monophyletic separate cluster revealing their phylogenetic distinctiveness. Sri Lankan group show a close relationship with *Impatiens* native to China and India providing insights to their biogeographic affinities. Furthermore, morphological data supported the relationships derived from molecular phylogenetic analysis. Two distinct species clusters were identified in both the phylogram and cladogram; I. henslowiana and I. grandis constituted one cluster, while I. leptopoda and I. flaccida comprised the other. These preliminary results provide baseline information to investigate character evolution, floral adaptations, more resolved phylogeny, and biogeography of old-world Impatiens species.

Keywords: Impatiens, Phylogeny, ITS, Morphology